

ILLEGIB

10 March 1959

	MEMORANDUM FOR: Chief, Contract Branch, PD/OL
STATINTL	ATTENTION:
	SUBJECT: Contracts for the 70mm Rear Projection Stereo Viewer
STATINTL	1. The PIC Research and Development Board has allocated for the further development of a 70mm rear projection stereo viewer. Three competent companies working in this field were contacted
STATINTL STATINTL	to submit informal proposals for the subject viewer. After due consideration by the Research and Development Board of PIC. it has been recommended that the contract be awarded to The following is a summary of the proposals:
STATINTL STATINTL STATINTL STATINTL STATINTL STATINTL	an initial proposal for the subject viewer consisting of three alternatives. Proposal A was to the amount of Proposal B, for the amount of and on 22 January 1959, Proposal C was submitted to the amount of Proposal C did not include sufficient estimated cost for the lenses. An additional would be necessary for the purchase of proper lenses which would bring the actual estimate for Proposal C to
STATINTL STATINTL	b. On 24 February 1959 the subject projector. Their estimated cost of the prototype was the proposal was not accompanied by engineering drawings nor did it include specific details as to the construction of the machine.
STATINTL	c. On 24 February 1959
STATINTL	the bid was for this project. A copy of their proposal is attached.
STATINTL	was recommended because they were firm on their prototype cost, but they stayed within budget allowance as well. In addition, their proposal gave three different magnifications (10X, 15X, and 22X) to be included in the design of the prototype. However, they are only including one set of lenses with the prototype.

Declass Review by NIMA/DOD

Approved For Release 20000402 COIA-ROP78B04747A000500020008-4

SUBJECT: Contracts for the 70mm Rear Projection Stereo Viewer

STATINTL

3. All three companies were approached in identical fashion and were each given the basic idea to work with.

STATINTL STATINTL

had built the original bread-board model for

STATINTL

who is the inventor of this device. It is the considered opinion of

this Center that

proposal was the

STATINTL

best proposal of the three.

4. Your assistance in expediting the contractual arrangements for the procurement of this equipment will be greatly appreciated.

STATINTL

Chief, Administrative Staff, PIC

Attachment:

STATINTL

Requisition No. TIED/PIC-93/59